



UNITED STATES PATENT AND TRADEMARK OFFICE

29 DEC 2005

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

SCHIFF HARDIN LLP
Patent Department
6600 Sears Tower
Chicago, Illinois 60606-6473

In re Application of:	:	
HOIJER, Carl-Johan	:	
U.S. Application No.: 10/540,604	:	DECISION ON PETITION FOR
PCT No.: PCT/SE2003/001289	:	REVIVAL OF ABANDONED
International Filing Date: 19 August 2003	:	APPLICATION UNDER
Priority Date: 30 September 2002	:	37 CFR 1.137(b)
Attorney's Docket No.: P05,0232	:	
For: HEART STIMULATOR DETECTING	:	
ATRIAL ARRHYTHMIA BY	:	
DETERMINING WALL DISTENSION	:	
BY IMPEDANCE MEASURING	:	

The petition for revival under 37 CFR 1.137(b) filed 27 June 2005 in the above-captioned application is hereby **GRANTED** as follows:

Applicant's statement that "the entire delay in filing the required reply from the due date for the required reply until the filing of a grantable petition under 37 CFR 1.137(b) was unintentional" satisfies the requirements of 37 CFR 1.137(b)(3).

Applicant has now submitted the basic national fee and the requirements of 37 CFR 1.137(b) have been satisfied. Therefore, the request to revive the application is granted as to the national stage in the United States of America.

The application is being returned to the National Stage Processing Division of the Office of PCT Operations for further processing in accordance with this decision, including the mailing of a Notification Of Missing Requirements (Form PCT/DO/EO/905) requiring submission of an executed declaration in compliance with 37 CFR 1.497 and the surcharge for filing the declaration later than thirty months after the priority date.

Richard M. Ross
PCT Petitions Attorney
Office Of PCT Legal Administration
Telephone: (571) 272-3296
Facsimile: (571) 273-0459